

SPRING SCISSOR TABLE W/ ACCORDION SKIRT -
SST-45-ST-ACC-CI

APPROX WEIGHT: 486 lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE



ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON

STANDARD FEATURES

MODEL NUMBER IS SST-45-ST-ACC-4-CI
MAXIMUM CAPACITY IS 4,500 LBS.
CAROUSEL DIAMETER: 43 5/8"
TABLE OVERALL HEIGHT: 27 3/4"
TABLE RAISED HEIGHT: 27 3/4"
TABLE LOWERED HEIGHT: 9"

PART NUMBER OF SKIRT:
ACC-4-3-37.5-37.5-28-CI
NUMBER OF SIDES: 4
CONVOLUTIONS: 3"
SKIRT WIDTH: 37 1/2"
SKIRT LENGTH: 37 1/2"
SKIRT HEIGHT: 28"
CUSTOMER INSTALLED

SPECIAL FEATURES

NONE

DIMENSION TOLERANCE ± 1/4"

A P P R O V A L	I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.	
	UNITS REQUIRING APPROVAL DRAWINGS OR MODIFIED ARE NON-RETURNABLE	
	[] As drawn [] As marked	
	Signed: _____ Date: _____	
	Printed Name: _____	
	LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING	


DISTRIBUTOR'S NAME:		P.O.#
X		X
		W.O.#
		X
DRAWN BY:	TAL	DATE: 08/08/2025
REFERENCE:	X	SALES: X
QUOTED LEAD TIME:	10 WEEKS	SCALE: 1:48
	QUOTE #	FILE NAME:
	X	SST-45-ST-ACC-4-CI

EXTERNAL ACCORDION SKIRTING - FOUR SIDED


ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE
ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON

TABLE SPECIFICATIONS:

- MODEL NO. OF TABLE
SST-45-ST-ACC-4-CI
- WIDTH- A=37 1/2"
- LENGTH- B=37 1/2"
- RAISED HT- C=28"



DO NOT DUPLICATE © 2025 VESTIL MANUFACTURING



SKIRT SPECIFICATIONS:

- MODEL NO. OF SKIRT:
ACC-4-3-37.5-37.5-28-CI
- PART NO.:ACC-4-3-37.5-37.5-28-CI
- SKIRT WIDTH: 37 1/2"
- SKIRT LENGTH: 37 1/2"
- SKIRT HEIGHT: 28"
- CONVOLUTIONS: 3"
- COLOR: YELLOW AND BLACK
- NUMBER OF SIDES: 4
- MOUNTING STYLE: EXTERNAL

STANDARD SKIRT FEATURES:

- ROPE SEWN IN TOP FOR MOUNTING
- 5/8" ROD POCKETS IN EVERY 3RD
BLACK CONVOLUTE
- RODS ON TOP OF CONVOLUTION
- VENTED FOR EXPULSION OF AIR
- FLAME RETARDANT 23OZ MATERIAL
- 2" LOOP ON BOTTOM OF SKIRT

CUSTOMER INSTALLED


REF. ORDER # X

PART NUMBER	DESCRIPTION	QTY
32106	#12 TECH SCREWS	XX
	ALUM. EXTU. 36.5" LG	4

FOR OFFICE USE ONLY	
QTY.	
LOGO	

ACCORDION SKIRTS ARE NON-RETURNABLE

SPECIAL FEATURES:



APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
UNITS REQUIRING APPROVAL DRAWINGS OR MODIFIED ARE NON-RETURNABLE
[] As drawn [] As marked
Signed: _____ Date: _____
Printed Name: _____
LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

DISTRIBUTOR'S NAME: X		P.O.# X
DRAWN BY: TAL		W.O.# X
DATE: 08/08/2025		SALES: X
REFERENCE: X	SCALE: N/A	FILE NAME:
QUOTED LEAD TIME: 10 WEEKS	QUOTE # X	SST-45-ST-ACC-4-CI

APPROX WEIGHT: lbs.
DOES NOT INCLUDE WEIGHT OF POWER OR PACKAGING!!!

EXTERNAL ACCORDION SKIRTING - FOUR SIDED

*** ANY ADDITIONS, DELETIONS, OR OMISSIONS MUST BE CORRECTED ON THIS DRAWING AS THIS DRAWING WILL BE CONSIDERED ALL INCLUSIVE ***
ALL GRAPHICS PROVIDED ARE FOR REFERENCE ONLY. IF CERTAIN DIMENSIONS ARE CRITICAL PLEASE VERIFY THOSE DIMENSIONS WITH YOUR SALESPERSON

DO NOT DUPLICATE © 2025 VESTIL MANUFACTURING

SKIRT SPECIFICATIONS:



- MODEL NO. OF SKIRT: ACC-4-3-37.5-37.5-28-CI
- PART NO.:ACC-4-3-37.5-37.5-28-CI
- SKIRT WIDTH: 37 1/2"
- SKIRT LENGTH: 37 1/2"
- SKIRT HEIGHT: 28"
- CONVOLUTIONS: 3"
- COLOR: YELLOW AND BLACK
- NUMBER OF SIDES: 4
- MOUNTING STYLE: EXTERNAL

STANDARD SKIRT FEATURES:

- ROPE SEWN IN TOP FOR MOUNTING
- 5/8" ROD POCKETS IN EVERY 3RD BLACK CONVOLUTE
- RODS ON TOP OF CONVOLUTION
- VENTED FOR EXPULSION OF AIR
- FLAME RETARDANT 23OZ MATERIAL
- 2" LOOP ON BOTTOM OF SKIRT

SPECIAL FEATURES:

NONE



CUSTOMER INSTALLED

FOR OFFICE USE ONLY	
QTY.	
LOGO	

REF. ORDER #	X
--------------	---

ACCORDION SKIRTS ARE NON-RETURNABLE

PART NUMBER	DESCRIPTION	QTY
32106	#12 TECH SCREWS	XX
	ALUM. EXTU. 36.5" LG	4

DIMENSION TOLERANCE ± 1/4"

APPROVAL

I, THE UNDERSIGNED, AGREE THAT THE PRODUCT AS REPRESENTED SATISFIES DESIGN AND DIMENSION REQUIREMENTS. I ALSO ACKNOWLEDGE MY DUTY TO CONFIRM PRODUCT AND INSTALLATION COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS AND STANDARDS.
UNITS REQUIRING APPROVAL DRAWINGS OR MODIFIED ARE NON-RETURNABLE
[] As drawn [] As marked
Signed: _____ Date: _____
Printed Name: _____
LEAD TIME WILL START UPON RECEIPT OF SIGNED APPROVAL DRAWING

DISTRIBUTOR'S NAME:		P.O.# X	
X		W.O.# X	
DRAWN BY: TAL		DATE: 08/08/2025	
REFERENCE: X		SALES: X	
QUOTED LEAD TIME: 10 WEEKS		SCALE: 1:1	
QUOTE # X		FILE NAME: SST-45-ST-ACC-4-C	